

















SUPERMATT FINISH – LOOKS LIKE OIL, EASY TO CLEAN LIKE VARNISH

A collection of oak wooden floors in the pattern of 1-row full plank.

The floor surfaces in fashionable colours have been refined and secured with elegant, supermatt varnish, which looks like oil, but it's ease to clean like varnish.

Each floor has micro-bevel on 2 or 4 sides of the board, which emphasizes its' modern character.

The floors can be installed over a floor heating system.














Main features of the collection



100% NATURAL WOOD

Three-layered structure of 3.5mm thick top layer made of oak, and the middle and bottom layers made of spruce.




MICROBEVEL ON THE SHORT AS WELL AS SHORT AND LONG SIDES OF THE BOARD

Delicately crafted 2mV or 4mV microbevel enhances the shape of individual boards, bringing out their individual character and beauty.



5G ADHESIVE-FREE ASSEMBLY SYSTEM

One of the most modern adhesive-free joints available on the market, which enables a speedy and clean installation. The floor is ready to be used right on installation.



INSTALLATION OVER UNDERFLOOR HEATING

Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.

Grade of oak wood

OAK ELEGANCE

Delicate wood grain, subdued colour, no sapwood, dainty knots.



OAK CLASSIC

Contrasts of wood colour and pattern, medium-sized knots, and no external sapwood.



OAK UNIQUE

Strong contrasts of wood colour and pattern, large knots, sapwood acceptable up to 20% of board width.



OAK RUSTIC


Highly rustic character, strong contrasts of wood colour and pattern, large knots, no external sapwood.



OAK SUPERRUSTIC

Highly rustic character, strong contrasts of wood colour and pattern, large knots, acceptable sapwood without limitation in surface area or quantitative share in the batch.





Supermatt lacquer

It gives the surface a supermatt finish which resembles an oiled surface, but is easy to clean and maintain just like lacquer.



FASHIONABLE SURFACE

Oak floors with most fashionable finishes in keeping with the latest trends; their surfaces have been additionally enhanced in the brushing process.




SAFE FOR ALLERGY SUFFERERS

Wood is an excellent solution for allergy sufferers, because it does not contain substances that might cause allergy, and it does not gather dust.



AESTHETICS AND COMFORT

The floors in the Painters collection are an excellent aesthetic and functional solution for both commercial and private interiors, lending them an individual and invariably unique character.





available also in ELEGANCE grading



PABLO

OAK UNIQUE 1R Coconut & Coconut supermatt lacq. brushed $4\mathrm{mV}$





















available also in UNIQUE grading

VINCENT OAK SUPERRUSTIC 1R Coffee & Coffee supermatt lacq. brushed 4mV













Premium SIZE 2200x182x14 mm

Baltic Wood | Painters Collection Baltic Wood | Painters Collection





available also in CLASSIC grading



SALVADOR

OAK UNIQUE 1R Dove & Dove supermatt lacq. brushed 4mV






















available also in CLASSIC grading

FRIDA

OAK RUSTIC 1R Smoked & Smoked supermatt lacq. brushed 2mV


















available also in SUPERRUSTIC grading



CLAUDE
OAK CLASSIC 1R supermatt lacq. brushed 4mV



















available also in RUSTIC grading

LEONARDO

OAK UNIQUE 1R aspect of raw wood supermatt lacq. 4mV
















Creation

Inspirations – carefully selected and developed, they constitute the basis for the process of creation. Thanks to this, the floor collections on offer feature a variety of carefully picked styles.











KNOWLEDGE AND EXPERIENCE

The company was founded 20 years ago in Poland and quickly expanded its brand into the international marketplace. Today, thanks to an extensive partner network, Baltic Wood floors reach clients in 62 countries all over the world. The modern production plant, the company head office and the sales offices are located in the town of Jasło, the Subcarpathian Province.

SUPREME QUALITY


Creating floors of the highest quality is our main goal and priority in the strategy of the company development. All the processes – designing, planning, manufacturing and delivering the goods – are based on a single, coherent Integrated Quality and Environmental Management System.



WE CARE FOR THE NATURAL ENVIRONMENT

We love nature and therefore we take so much care to make the manufacturing of Baltic Wood floors meet the most rigorous conservation standards. The supreme quality and care for the environment certified by: FSC, M1, TÜV.







Three-layered floors

precision of workmanship + reliable use


WOODEN FLOOR

Thanks to the natural properties of the material and its characteristic and original look, wooden flooring makes it possible to create a cosy, distinguished interior with a touch of comfort and safety. Wood is warm and pleasant to the touch, and so it makes you want to walk barefoot around every nook and cranny of the house. Besides, it has very practical qualities it muffles noises and sounds of footsteps. The natural material also ensures a long lifetime – time is on its side, making it look more and more noble, and thanks to its (multiple) renovatability, we can enjoy its unchanging beauty for many years.

Baltic Wood wooden floors owe their uniqueness primarily to nature inspiringly displayed in flooring compositions that lend interiors a fascinating character.

CARE FOR NATURE

With the support of innovative technology compliant with the highest quality standards, Baltic Wood wooden floors are sustainable and eco-friendly.



THE STRUCTURE OF THREE-LAYERED FLOOR

Baltic Wood floor comprises three layers. The top layer made of noble wood (2.7-6.6 mm thick) is covered with seven coats of lacquer or two coats of oil. Both the finishes make up, on the floor surface, a thin, flexible and durable protective coating. The middle layer (approx. 8.9 mm thick) includes transverse spruce slats that reinforce the floor flexibility. The bottom layer (approx. 1.6 mm thick) is made of uniform spruce veneer, which stabilises and stiffens the whole structure.









Wooden floor maintenance



VACUUM CLEAN THE FLOOR

Regularly (at least twice a week) clean your floors with a vacuum cleaner and a special brush attachment or with a soft sweeper. Floor mopping must be preceded by vacuum-cleaning.



USE APPROPRIATE CLEANING AGENTS

Clean wooden floors with a moist, but not wet mop. The excessive amount of water can cause swelling, warping or discoloration of the floor. Accidentally spilt liquids must be immediately wiped up, otherwise the stains will become hardly removable. Use only Baltic Protection System agents. Do not apply waxes, as they can easily matt the wooden surface.



PROTECT THE FLOOR AGAINST SCRATCHING

Chair or furniture legs can scratch the floor surface.
Use protective caps – chair and furniture legs
should be covered with protective felt pads, and
in the case of swivel chairs choose ones with special
castors intended for wooden surfaces. Do not use
impermeable rubber mats and carpets.



Regularly cut the claws of your pets, which will protect your floor from scratches. Remember to wipe clean the paws of your dog every time you come back from a walk – this way you will keep dirt and sand away from your interiors.



PROTECT THE FLOOR AGAINST DIRT

Doormats – a mixture of water and sand, coupled with intense wear of the floor brings about the same effect as rubbing the floor with sandpaper. Doormats placed at the front door and the exit to the terrace protect the floor against dirt. Keep doormats clean – replace them from time to time.




REMEMBER ABOUT AIR HUMIDITY

Keep an optimal air humidity level in the rooms, i.e. around 30-60% and temperature of 20°C; in winter, when the air humidity level drops, use air humidifiers. Remember that wood will naturally tend to achieve the state of hygroscopic balance – it is important to air the rooms from time to time.



Sustainable solutions

For years now, Baltic Wood has been pursuing its own eco-friendly policy with ambitious conservation goals, which help protect the environment and live in harmony with nature. The company's environmental awareness comes to be reflected in all the areas of its activity.



Product index



FLOOR	SIZE	INDEX	PAGE
PABLO OAK ELEGANCE 1R Coconut & Coconut supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A211-S169EB1	12-13
PABLO OAK UNIQUE 1R Coconut & Coconut supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A511ES169EB1	12-13
VINCENT OAK UNIQUE 1R Coffee & Coffee supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A511ES719EB1	14–15
VINCENT OAK SUPERRUSTIC 1R Coffee & Coffee supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A011ES719EB1	14–15
SALVADOR OAK CLASSIC 1R Dove & Dove supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A411ES739EB1	16–17
SALVADOR OAK UNIQUE 1R Dove & Dove supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A511ES739EB1	16–17
FRIDA OAK CLASSIC 1R Smoked & Smoked supermatt lacq. brushed 5G 2mV	2200x182x14 mm	WT-1A411-S749EB1	18–19
FRIDA OAK RUSTIC 1R Smoked & Smoked supermatt lacq. brushed 5G 2mV	2200x182x14 mm	WT-1A611-S749EB1	18–19
CLAUDE OAK CLASSIC 1R supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A411-S759EB1	20-21
CLAUDE OAK SUPERRUSTIC 1R supermatt lacq. brushed 5G 4mV	2200x182x14 mm	WZ-1A011-S759EB1	20-21
LEONARDO OAK UNIQUE 1R aspect of raw wood supermatt lacq. 4mV	2200x182x14 mm	WZ-1A511EB449EB1	22-23
LEONARDO OAK RUSTIC 1R aspect of raw wood supermatt lacq. 4mV	2200x182x14 mm	WZ-1A611EB449EB1	22-23

NOTE

Baltic Wood S.A. reserves the right to change the technical parameters of the products on offer as well as to discontinue them.

Baltic Wood floors are manufactured only from natural wood, and that is why the shade, occurrence of knots, ring pattern and grain structures of particular elements – boards, slats etc. – can differ from one another as well as in relation to the photos included in all Baltic Wood marketing materials. The natural variation can be noticed when comparing the final product with the samples presented at the exposition.

The wood variety is a natural feature of this noble raw material, determining its beauty and uniqueness.

ICONS LEGEND:



2-SIDED MICROBEVEL



FLOOR HEATING: YES



4-SIDED MICROBEVEL



HARD WOOD



QUICKEST ADHESIVE-FREE INSTALATION SYSTEM



BECOMES SLIGHTLY DARKER

