

and the second

R

met to small to

Baltic Wood

I TUTAL

Timeless Collection

2021



Distressed floors with a soul

The collection was created as a result of true passion for wood. We have brought out its undiscovered, natural beauty in the process of manual distressing. The Timeless floors are like good wine - they develop their






Timeless Collection

0 0

ARTISTIC FLOORS DISTRESSED BY HUMAN HAND







ARTISTIC FLOORS DISTRESSED BY HUMAN HAND

Artistically distressed three-layered oak floors in the pattern of 1-row board are manufactured in the process of saturating the wood surface with the noblest oils and pigments, carefully rubbed in by human hand after the boards have been artistically distressed in the process of planing, brushing, notching or applying the woodworm effect. Owing to the unique technology of reactive stain and oil application, the colour of the artistically distressed floor matures over time, thanks to which it becomes even more beautiful and nobler.

The board edges are highlighted with hand-crafted bevel on each side, which crowns the unusual visual effect. The adhesive-free 2G joint makes for quick and clean assembly.



Premium SIZE 2200x182x14 mm

mini SIZE 1080x148x14 mm only in the Herringbone F

Main features of the collection





100% NATURAL WOOD

Three-layered structure of 3.5 mm thick top layer made of oak, and the middle and bottom layers made of spruce.

HAND-DISTRESSED BEVEL ON LONG & SHORT SIDE OF THE BOARD

The board edges are highlighted with hand-crafted 4V bevel on each side, which crowns the unusual visual effect.





2G ADHESIVE-FREE AND T&G ASSEMBLY SYSTEM

Adhesive-free joint, which enables a quick and clean installation. The floor is ready to be used right on installation.

* only in the herringbone pattern


INSTALLATION OVER UNDERFLOOR HEATING


Every floor in the collection can be installed over underfloor heating, thanks to which you will achieve the effect of a floor which is always warm to the touch.



OAK SUPERRUSTIC

Highly rustic character, strong contrasts of wood colour and pattern, large knots, acceptable sapwood without limitation in surface area or quantitative share in the batch.





Every floor is manufactured in the process of saturating the wood surface with the noblest oils and pigments, carefully rubbed in with the human hand after the boards have been artistically distressed in the process of planing, brushing, notching or applying the woodworm effect typical of old and noble floors.







Hand distressed

NOBLE FINISH

The Timeless Collection floors have been refined with quality, handrubbed oils which penetrate through the surface, thereby enhancing the everlasting and true character of wood.

DISCOVER YOUR STYLE

Artistically distressed oak floors perfectly complement interiors in the rustic, industrial, Scandinavian, classical as well as manor- and palacelike style.

SAFE FOR ALLERGY **SUFFERERS**

Wood is an excellent solution for allergy sufferers, because it does not contain substances that might cause allergy, and it does not gather dust.





UNFINISHED STORY 1R



















MOZART NOTES 1R





















ANGELS & DEMONS 1R





































POET'S INSPIRATION 1R





SECRETS OF VERONA 1R

















HOUSE OF SOULS 1R



















OLD LEGEND 1R









NOBLE 3.5 mm WOOD LAYER SIZE 2200x182x14 mm







MOONLIGHT 1R



The extraordinary and mysterious beauty of wood has been enhanced with the human hand, with unusual passion and artistry. Each board in the collection is a work of art – unique and saturated with beauty.







Natural beauty







Baltic Wood

Baltic Wood combines fascination for the beauty of wood and knowledge about its specialist treatment. Thanks to this, Baltic Wood floors are not only beautiful, but also perfect in terms of quality – durable, functional and easy to maintain on a regular basis.

OUR MISSION

We believe that the floor made of the highest quality wood is that which lends a unique character to every interior – both the classical and the modern one. That is why we continually follow the latest trends in design so as to cater to the tastes of both traditionalists and those who value more avant-garde design.



SUPREME QUALITY

Creating floors of the highest quality is our main goal and priority in the strategy of the company development. All the processes – designing, planning, manufacturing and delivering the goods – are based on a single, coherent Integrated Quality and Environmental Management System.



KNOWLEDGE AND EXPERIENCE

The company was founded 20 years ago in Poland and quickly expanded its brand into the international marketplace. Today, thanks to an extensive partner network, Baltic Wood floors reach clients in 62 countries all over the world. The modern production plant, the company head office and the sales offices are located in the town of Jasło, the Subcarpathian Province.



WE CARE FOR THE NATURAL ENVIRONMENT

We love nature and therefore we take so much care to make the manufacturing of Baltic Wood floors meet the most rigorous conservation standards. The supreme quality and care for the environment certified by: FSC, M1, TÜV.


Wooden floors

Nature offers beauty, harmony, elegance and style which cannot be replaced with any substitute.

Baltic Wood wooden floors owe their uniqueness primarily to nature inspiringly displayed in flooring compositions that lend interiors a fascinating character.

CARE FOR NATURE

With the support of innovative technology compliant with the highest quality standards, Baltic Wood wooden floors are sustainable and eco-friendly.





THE STRUCTURE OF THREE-LAYERED FLOOR

Baltic Wood floor comprises three layers. The top layer made of noble wood (2.7-6.6 mm thick) is covered with seven coats of lacquer or two coats of oil. Both the finishes make up, on the floor surface, a thin, flexible and durable protective coating. The middle layer (approx. 8.9 mm thick) includes transverse spruce slats that reinforce the floor flexibility. The bottom layer (approx. 1.6 mm thick) is made of uniform spruce veneer, which stabilises and stiffens the whole structure.



Three-layered floors

precision of workmanship + reliable use

WOODEN FLOOR

Thanks to the natural properties of the material and its characteristic and original look, wooden flooring makes it possible to create a cosy, distinguished interior with a touch of comfort and safety. Wood is warm and pleasant to the touch, and so it makes you want to walk barefoot around every nook and cranny of the house. Besides, it has very practical qualities – it muffles noises and sounds of footsteps. The natural material also ensures a long lifetime - time is on its side, making it look more and more noble, and thanks to its (multiple) renovatability, we can enjoy its unchanging beauty for many years.



Wooden floor maintenance



VACUUM CLEAN THE FLOOR

Regularly (at least twice a week) clean your floors with a vacuum cleaner and a special brush attachment or with a soft sweeper. Floor mopping must be preceded by vacuum-cleaning.

TAKE PROPER CARE OF YOUR PET'S CLAWS

Regularly cut the claws of your pets, which will protect your floor from scratches. Remember to wipe clean the paws of your dog every time you come back from a walk – this way you will keep dirt and sand away from your interiors.



USE APPROPRIATE CLEANING AGENTS

Clean wooden floors with a moist, but not wet mop. The excessive amount of water can cause swelling, warping or discoloration of the floor. Accidentally spilt liquids must be immediately wiped up, otherwise the stains will become hardly removable. Use only Baltic Protection System agents. Do not apply waxes, as they can easily matt the wooden surface.



PROTECT THE FLOOR AGAINST SCRATCHING

Chair or furniture legs can scratch the floor surface. Use protective caps – chair and furniture legs should be covered with protective felt pads, and in the case of swivel chairs choose ones with special castors intended for wooden surfaces. Do not use impermeable rubber mats and carpets.

PROTECT THE FLOOR AGAINST DIRT

Doormats – a mixture of water and sand, coupled with intense wear of the floor brings about the same effect as rubbing the floor with sandpaper. Doormats placed at the front door and the exit to the terrace protect the floor against dirt. Keep doormats clean – replace them from time to time.

REMEMBER ABOUT AIR HUMIDITY

Keep an optimal air humidity level in the rooms, i.e. around 30-60% and temperature of 20°C; in winter, when the air humidity level drops, use air humidifiers. Remember that wood will naturally tend to achieve the state of hygroscopic balance – it is important to air the rooms from time to time.







Sustainable solutions

For years now, Baltic Wood has been pursuing its own eco-friendly policy with ambitious conservation goals, which help protect the environment and live in harmony with nature. The company's environmental awareness comes to be reflected in all the areas of its activity.



Timeless ™ Collection

FLOOR

UNFINISHED STORY 1R MOZART NOTES 1R KING'S RING 1R ANGELS & DEMONS 1R MEDIEVAL CASTLE 1R MEDIEVAL CASTLE 1R herringbone pattern – left, right SECRET CHAMBER 1R POET'S INSPIRATION 1R SECRETS OF VERONA 1R LOST COFFER 1R HOUSE OF SOULS 1R STARDUST 1R OLD LEGEND 1R

NOTE

Baltic Wood S.A. reserves the right to change the technical parameters of the products on offer as well as to discontinue them.

Baltic Wood floors are manufactured only from natural wood, and that is why the shade, occurrence of knots, ring pattern and grain structures of particular elements – boards, slats etc. – can differ from one another as well as in relation to the photos included in all Baltic Wood marketing materials. The natural variation can be noticed when comparing the final product with the samples presented at the exposition.

The wood variety is a natural feature of this noble raw material, determining its beauty and uniqueness.

Product index

SIZE	INDEX	PAGE
2200x182x14 mm	WEF1AI11AR289T-1	12-13
2200x182x14 mm	WEF1AG11AR469T-1	14-15
2200x182x14 mm	WEF1AG11AR449T-1	16-17
2200x182x14 mm	WEF1AG11AR16-T-1	18–19
2200x182x14 mm	WEF1AG11AR17-T-1	20-21
1080x148x14 mm	WW/WCF1AG22AR17-AD1	22-23
2200x182x14 mm	WEF1AG11AR19-T-1	24–25
2200x182x14 mm	WEF1AG11AR20-T-1	26-27
2200x182x14 mm	WEF1AG11-RO6-T-1	28-29
2200x182x14 mm	WEF1AG11AR239T-1	30-31
2200x182x14 mm	WEF1AG11AR249T-1	32-33
2200x182x14 mm	WEF1AG11AR279T-1	34-35
2200x182x14 mm	WEF1AG11AR439T-1	36-37
2200x182x14 mm	WEF1AG11AR299T-1	38-39

ICONS LEGEND:



V 4-SIDED HANDMADE MICROBEVEL



ADHESIVE-FREE CLICK ASSEMBLY SYSTEM



ADHESIVE-BASED ASSEMBLY SYSTEM



FLOOR HEATING: YES




HARD WOOD

X

BECOMES SLIGHTLY DARKER



BECOMES LIGHTER



Be BALTIC = Be ECO

www.balticwood.eu

· la ·

AV-